


SECUNORM 525
CLEAR SHAPE, CLEAR CUT.

NEW



THE SAFER WAY TO CUT.


martor

SECUNORM 525

NO. 525001




Original size



Robust handle

The aluminium handle is already familiar from the SECUNORM PROFi25. The handle and a newly developed plastic insert form a perfect team to ensure that your SECUNORM 525 is equipped to meet even the toughest tasks.



Optimised slider

A firm hold and grip are typical MARTOR characteristics. The SECUNORM 525 is no different. Its slider has a grooved structure and is especially large giving the ideal conditions for comfortable, "hands-on" work – even when wearing gloves.



Safe blade change

The blade change button gives easy access to the blade, which you can now turn or replace. A further practical feature is that the blade cover can be lifted and locked in an open position.



Large cutting depth

The cutting depth is ideal for cardboard, film, strapping bands and much more. But the SECUNORM 525 is not only very versatile, it can also be relied on for high frequency cutting tasks.



Secure hold

For secure fastening, the SECUNORM 525 is equipped with a practical lanyard hole, another reason why it could become a constant companion. You then reduce risks two-fold: the risk of loss and the risk of cutting injuries.

A versatile helper – with great qualities.

With ceramic blade.

The SECUNORM 525 is a straightforward safety knife in every way. The robust and ergonomic aluminium handle sits firmly and comfortably in the hand. The combination of the durable sharpness of a ceramic blade and a cutting depth of up to 18 mm means the SECUNORM 525 easily manages a variety of cutting materials. An unobstructed view of the blade also particularly enables a precision cut. In every task, the proven automatic blade retraction protects you from cutting injuries.

PRODUCT FEATURES

Technical features

	High safety		Tool-less blade change
	Very abrasion resistant		Very ergonomic
	2-cutting edge blade		Cutting depth
	Rounded-tip trapezoid blade		Ceramic
	For right and left hands		Lanyard hole
	Printable for promotional purposes		

Main cutting materials

	Cardboard: up to 2-ply		Wrapping, stretch and shrink foil
	Plastic strapping band		Foam, polystyrene
	PVC		Bagged goods

Installed blade

	NO. 60099C 0.65 mm, ceramic, rounded blade tips, deep-edged
--	--


Optional blade

	NO. 60099 0.63 mm, rounded blade tips, deep-edged
	NO. 99 0.63 mm, deep-edged
	NO. 199 0.63 mm, deep-edged, stainless
	NO. 98 0.63 mm


Certificates and awards



Application



Safety technology



Automatic blade retraction – a high degree of safety

The automatic blade retraction of the SECUNORM 525 guarantees a high degree of safety from cut injuries. As soon as you have started to cut, take your thumb off the slider. Then the blade will retract into the handle immediately after leaving the material being cut.

THE PERFECT FIT FOR ALL.
DOES THE PERFECT JOB.

- SECUNORM 525
- › Very abrasion proof thanks to the aluminium
 - › Ergonomic handle for left and right handers
 - › With ceramic blade
 - › Automatic blade retraction
 - › GS-certified for approved safety

PRODUCT DETAILS

Order No.	NO. 525001.17		
Packaging unit	1 in single unit box (10 in multipack)		
Knife size (L x W x H)	143 x 17 x 31 mm		
Main material	Aluminium		
Weight	80.4 g		
Cutting depth	18 mm		
Spare blade	NO. 1760099.25		
Packaging unit	(2 on self-service card)		
Size (L x W x Thickness)	55.5 x 19 x 0.65 mm		
Certified	GS certificate NO. 179480-7120-55094-2020		
Accessories			
BELT HOLSTER S WITH CLIP		NO. 9920	
HOLSTER SMALL		NO. 9842	
USED BLADE CONTAINER		NO. 9810	
WALL MOUNT BRACKET USED BLADE CONTAINER		NO. 9845	
SAFEBOX		NO. 108000	

CONTACT AND SERVICE

What makes our cutting solutions even safer?
Our advisory services! We are always on hand,
to give advice, to provide you with training ma-
terial, to meet with you in person if necessary.

You will find further information on our website:
www.martor.co.uk



At a glance: the safety poster shows the most
important functions and correct usage – perfect
for your workplace.



Everything you want to know: dimensions,
properties, special features and more about our
cutting tools can be found in the technical data
sheet.



Still have questions? You can reach our service
department on [+44 1924 281333](tel:+441924281333)