SECUPRO MERAK

THE PERFECT DEFINITION OF AN ALL-ROUNDER.







SECUPRO MERAK

NO. 1240019



Original size



Ergonomic form

Whether with the right hand or the left hand: you will use the SECUPRO MERAK gladly and effectively. The safety knife is shaped with ergonomics in mind, and the force required to activate and release the lever is appropriately minimal, even at high cutting frequencies.



Safe blade change

You can change your blade without any additional tools, and without dismantling the SECUPRO MERAK. Instead, just press the blade change button and fold the blue lever out all the way to access the blade.



Light and stable

A particularly abrasion resistant plastic has been used for the SECUPRO MERAK. Nevertheless, it has a comfortable weight. Your cutting arm is protected from fatigue, and your safety knife from wear and tear.



Press for safety

You can prevent unintentional blade activity by activating the small blue blade lock. Simply press against the pictured lock to protect yourself from injury whenever your knife is stationary.




4-cutting edge blade


One blade, four sharp edges. You clearly get more out of your blade; four times more in fact. Rotating the blade allows you to cut with a constant cutting force, all the way through your work day.


Safety, comfort? Everything under (lockable) control! With ceramic blade.

The SECUPRO MERAK is our practical squeezegrip safety knife with fully automatic blade retraction. With SECUPRO MARTEGO's "little brother" we have thought about one thing in particular: you. The lightweight and user friendly SECUPRO MERAK lets you work safely with little risk of cutting exhaustion, aided by the durable sharpness of the ceramic blade. And there's much more: thanks to a shallow cutting depth, your goods are also well protected.


Application







Safety technology



Fully automatic blade retraction – a very high degree of safety
The fully automatic blade retraction of the SECUPRO MERAK
guarantees a very high degree of safety from cut injuries.
The blade withdraws into the handle immediately after leaving the material being cut. Even when the lever is still being squeezed.

PRODUCT FEATURES

Technical features



Very high safety



Tool-less blade change



Abrasion resistant



Very ergonomic



Safety lock



4-cutting edge blade



Cutting depth



Ceramic



For right and left handers



Lanyard hole



Printable for promotional purposes

Main cutting materials



Cardboard: up to 2-ply



Plastic strapping band



Tape



Layers of foil or paper



Wrapping, stretch and shrink foil



Yarn, cord

Installed blade



NO. 92C

0.50 mm, ceramic, deep-edged

Optional blade



NO. 92 0.40 mm

NO. 60092 0.40 mm, rounded blade tips **NO. 192** 0.40 mm, stainless

Certificates and awards



SECUPRO MERAK

- > Ergonomic squeeze grip
- > Light and handy
- > With ceramic blade
- > Fully automatic blade retraction
- GS-certified for approved safety

PRODUCT DETAILS

Order No.	NO. 124	NO. 1240019.17	
Packaging unit	1 in single unit box (10 in multipack)		
Knife size (L x W x H)	128 x 18 x 50 mm		
Main material	Glass fibre reinforced plastic		
Weight	58.8 g		
Cutting depth	9 mm		
Spare blade Packaging unit Size (L x W x Thickness)	NO. 1792.25 (2 on self-service card) 26 x 18.5 x 0.50 mm		
Certified	GS certificate NO. 178906-7078-55094 -2020		
Accessories			
BELT HOLSTER M WITH CLIP		NO. 9921	
USED BLADE CONTAINER		NO. 9810	
WALL MOUNT BRACKET USED BLADE CONTAINER		NO. 9845	
SAFEBOX		NO. 108000	

CONTACT AND SERVICE

What makes our cutting solutions even safer? Our advisory services! We are always on hand, to give advice, to provide you with training material, to meet with you in person if necessary.

You will find further information on our website: www.martor.co.uk



At a glance: the safety poster shows the most important functions and correct usage – perfect for your workplace.



Everything you want to know: dimensions, properties, special features and more about our cutting tools can be found in the technical data sheet



Still have questions? You can reach our service department on +44 1924 281333