

SECUNORM 500

UNMISTAKABLY PROFI. PERFECTLY REINVENTED.

NEW



THE SAFER WAY TO CUT.

martor

SECUNORM 500

NO. 500001



Original size



Ergonomic handle

The excellent ergonomics can be felt all over the SECUNORM 500, for example in the newly shaped handle which fits comfortably into the hand. Or in details such as the nicely rounded knife end or the non-slip soft grip on the slider.




Abrasion resistant

The robust aluminium handle is designed for the most frequent cutting tasks. The all-rounder also has a ceramic blade with durable sharpness as its special feature.



Double-sided slider

With the predecessor, the SECUNORM PROFI, there were both left and right handed models. With the modern successor, anyone can cut effectively – with the ability to change hands when the task requires it.



Tool-less blade change

Blade changing without tools. The SECUNORM 500 comes with an intuitively operated blade change button. Press once to remove the blade carrier with its securely held blade.



Blade changing made easy

The blade cover remains in the required position when opened. The blade is then easy to access and is removed using the bladeless edge, avoiding risk of injury.


The safety knife. With ceramic blade.

Over 40 years ago the SECUNORM PROFI set standards in safety, robustness and ergonomics. Its successor goes several steps further. For example, the new aluminium handle significantly improves handling and makes cutting easier, the new slider can be operated from both sides, there is a pre-installed ceramic blade and the blade change has been made so much simpler. Apart from these improvements, the proven automatic blade retraction will continue to protect you from cutting injuries.

Application



Safety technology



Automatic blade retraction – a high degree of safety

The automatic blade retraction of the SECUNORM 500 guarantees a high degree of safety from cut injuries. As soon as you have started to cut, take your thumb off the slider. Then the blade will retract into the handle immediately after leaving the material being cut.

PRODUCT FEATURES

Technical features

	High safety		Tool-less blade change
	Very abrasion resistant		Very ergonomic
	2-cutting edge blade		Cutting depth
	Rounded-tip trapezoid blade		Soft grip
	Ceramic		For right and left handers

Main cutting materials

	Cardboard: up to 2-ply		Wrapping, stretch and shrink foil
	Plastic strapping band		Tape
	Bagged goods		Layers of foil or paper

Installed blade

	NO. 65232C 0.65 mm, ceramic, rounded blade tips, deep-edged
--	--

Optional blade

	NO. 65232 0.63 mm, rounded blade tips, deep-edged
	NO. 5232 0.63 mm, deep-edged
	NO. 5233 0.63 mm, 1-sided ground-edge
	NO. 610 0.63 mm, stainless
	NO. 852 0.63 mm, stainless, TiN
	NO. 56 0.63 mm
	NO. 5634 0.63 mm, rounded blade tips

Certificates and awards



THE PERFECT FIT FOR ALL. DOES THE PERFECT JOB.

SECUNORM 500

- › For high cutting frequencies
- › Ergonomic handle for left and right handers
- › With ceramic blade
- › Automatic blade retraction
- › GS-certified for approved safety

PRODUCT DETAILS

Order No.	NO. 500001.17	
Packaging unit	1 in single unit box (10 in multipack)	
Knife size (L x W x H)	143 x 16 x 36 mm	
Main material	Aluminium	
Weight	72.0 g	
Cutting depth	17 mm	
Spare blade	NO. 1765232.25	
Packaging unit	(2 on self-service card)	
Size (L x W x Thickness)	49.9 x 19 x 0.65 mm	
Certified	GS certificate NO. 603574-6653-55094-2018/2	
Accessories		
BELT HOLSTER S WITH CLIP		NO. 9920
HOLSTER SMALL		NO. 9842
USED BLADE CONTAINER		NO. 9810
WALL MOUNT BRACKET USED BLADE CONTAINER		NO. 9845
SAFEBOX		NO. 108000

CONTACT AND SERVICE

What makes our cutting solutions even safer?
Our advisory services! We are always on hand,
to give advice, to provide you with training ma-
terial, to meet with you in person if necessary.

You will find further information on our website:
www.martor.co.uk



At a glance: the safety poster shows the most important functions and correct usage – perfect for your workplace.



Everything you want to know: dimensions, properties, special features and more about our cutting tools can be found in the technical data sheet.



Still have questions? You can reach our service department on [+44 1924 281333](tel:+441924281333)