

SECUPRO MAXISAFE

IMPORTANT NEW FEATURES. RELIABLY FAMILIAR.

NEW



THE SAFER WAY TO CUT.

martor

SECUPRO MAXISAFE

NO. 101306




Original size



Ergonomic handle

The plastic handle now sits even better in the hand thanks mainly to the new shape of the knife's back. The slider and blade change button have also been improved for efficient operation.



3-sided slider

From the right? From the left? From above? Regardless of how you want to activate the blade, all options are available with the SECUPRO MAXISAFE. What's more, the 3-sided slider is now grooved for better grip.



At the press of a button

Your two hands alone are enough to change the blade. And these short instructions: press the blade change button and swing open the handle. Push the blade carrier to the front and you can change the blade. It's that easy.



Metal guard

SECUPRO MAXISAFE is not afraid of a little friction. A metal abrasion protection shield, found on the underside of the knife head, works to prevent any general wear and tear as you cut your path through the day.



2-cutting edge blade

Don't change your blade the moment the tip turns blunt. Double the usage time of your blades and minimize wastage by always remembering to flip them over. Don't forget: there are two sides to every blade!

Perfect handling – from every side. With ceramic blade.

The SECUPRO MAXISAFE has been making an impression for more than 15 years due to its lightness and wide range of applications. The safety knife has now reached new levels of ergonomic design. Just hold the 3-sided slider in your hand and try it out ... notice the difference? Another new feature is the pre-installed ceramic blade. The fully automatic blade retraction system ensures that the blade always retracts securely back into the handle.

PRODUCT FEATURES

Technical features

	Very high safety		Tool-less blade change
	Abrasion resistant		Ergonomic
	2-cutting edge blade		Cutting depth
	Rounded-tip trapezoid blade		Ceramic
	For right and left hands		Lanyard hole
	Printable for promotional purposes		

Main cutting materials

	Cardboard: up to 2-ply		Plastic strapping band
	Tape		Layers of foil or paper
	Wrapping, stretch and shrink foil		Yarn, cord

Installed blade

	NO. 60099C 0.65 mm, ceramic, rounded blade tips, deep-edged
--	--


Optional blade

	NO. 60099 0.63 mm, rounded blade tips, deep-edged
	NO. 99 0.63 mm, deep-edged
	NO. 199 0.63 mm, deep-edged, stainless
	NO. 98 0.63 mm


Certificates and awards



Application



Safety technology



Fully automatic blade retraction – a very high degree of safety

The fully automatic blade retraction of the SECUPRO MAXISAFE guarantees a very high degree of safety from cut injuries. The blade withdraws into the handle immediately after leaving the material being cut. Even if the slider is still being activated.

THE PERFECT FIT FOR ALL. DOES THE PERFECT JOB.

SECUPRO MAXISAFE

- › With 3-sided slider
- › Fully automatic blade retraction
- › With ceramic blade
- › Metal abrasion protection shield
- › GS-certified for approved safety

PRODUCT DETAILS

Order No.	NO. 101306.17	
Packaging unit	1 in single unit box (10 in multipack)	
Knife size (L x W x H)	148 x 18 x 42 mm	
Main material	Glass fibre reinforced plastic	
Weight	65.4 g	
Cutting depth	16 mm	
Spare blade	NO. 1760099.25	
Packaging unit	(2 on self-service card)	
Size (L x W x Thickness)	55.5 x 19 x 0.65 mm	
Certified	GS certificate NO. 603523-6639-55094- 2018	
Accessories		
BELT HOLSTER S WITH CLIP		NO. 9920
HOLSTER LARGE		NO. 9843
USED BLADE CONTAINER		NO. 9810
WALL MOUNT BRACKET USED BLADE CONTAINER		NO. 9845
SAFEBOX		NO. 108000

CONTACT AND SERVICE

What makes our cutting solutions even safer?
Our advisory services! We are always on hand,
to give advice, to provide you with training ma-
terial, to meet with you in person if necessary.

You will find further information on our website:
www.martor.co.uk



At a glance: the safety poster shows the most
important functions and correct usage – perfect
for your workplace.



Everything you want to know: dimensions,
properties, special features and more about our
cutting tools can be found in the technical data
sheet.



Still have questions? You can reach our service
department on [+44 1924 281333](tel:+441924281333)