
# **SECUNORM 185**

EFFICIENT TO CUT. COMFORTABLE TO USE.








## **SECUNORM 185**

## NO. 18500410




Original size



### Robust and practical

The SECUNORM 185's handle is made of stainless steel, designed for frequent cutting and long service. The knife has an ergonomic practical format and lightweight design to make cutting easier.



### Optimal slider

The double-sided slider is suitable for both right and left handers. It has a large surface for perfect operation even when wearing gloves. Grooves on the slider improve slip resistance.



### Safe blade change

Simply hold down the blade change button and pull out the slider from the front to give access to the magnet-fixed blade. The plastic insert and handle remain together so that nothing will be lost.



### Practical eyelet

The SECUNORM 185 is equipped with a eyelet for attaching a strap, securing the knife to be on hand as soon as the next package needs opening.



### 4-cutting edge blade


The blade has four cutting edges that can be used one after the other. This makes economic and ecological sense and, with a fresh cutting edge, you can always cut like new.


#### Option ceramic blade




You can now also use a ceramic blade as an alternative to the installed steel blade. For the SECUNORM 185, this is the CERAMIC BLADE NO. 92C.

### Application







### Safety technology



### Automatic blade retraction – a high degree of safety

The automatic blade retraction of the SECUNORM 185 guarantees a high degree of safety from cut injuries. As soon as you have started to cut, take your thumb off the slider. Then the blade will retract into the handle immediately after leaving the material being cut.

### Lots of knife requiring little space.

Efficiency is important when opening cartons and pallets. Just what the nimble and robust SECUNORM 185 has been designed for. The compact safety knife impresses with features rarely found in this product group, such as a stainless steel handle, a large slider and easy blade change. Other benefits are the automatic blade retraction and a choice between steel and ceramic blades.

### PRODUCT FEATURES

#### **Technical features**



High safety



Safer blade change (with magnet)



Abrasion resistant



Ergonomic



4-cutting edge blade



Cutting depth



Ceramic blade compatible



For right and left handers



Lanyard hole

#### Main cutting materials



Cardboard: up to 2-ply



Wrapping, stretch and shrink foil



Таре



Plastic strapping band



Layers of foil or paper



Yarn, cord

### Installed blade



NO. 92

0.40 mm

### Optional blade



**NO. 192** 0.40 mm, stainless **NO. 92C** 0.50 mm, ceramic, deep-

edged

**NO. 60092** 0.40 mm, rounded blade

tips

**NO. 92043** 0.40 mm, deep-edged **NO. 192043** 0.40 mm, deep-edged,

stainless

### Certificates and awards



### **SECUNORM 185**

- > Robust, stainless steel handle made of metal
- > Small and handy
- One blade, four cutting corners
- > Automatic blade retraction
- GS-certified for approved safety

#### PRODUCT DETAILS

Order No.	NO. 185	NO. 18500410.02	
Packaging unit	1 in single unit box (20 in multipack)		
Knife size (L x W x H)	102 x 26 x 7.2 mm		
Main material	Stainless steel		
Weight	32.0 g		
Cutting depth	9 mm		
Spare blade Packaging unit Size (L x W x Thickness)	NO. 92.66 (10 in safety dispenser) 26 x 18.5 x 0.40 mm		
Certified	GS certificate NO. 180823-7255-55094- 2021		
Accessories			
BELT HOLSTER S WITH CLIP		NO. 9920	
SAFEBOX		NO. 108000	
USED BLADE CONTAINER		NO. 9810	
WALL MOUNT BRACKET	<b>−</b> □1	NO. 9845	

### CONTACT AND SERVICE

What makes our cutting solutions even safer? Our advisory services! We are always on hand, to give advice, to provide you with training material, to meet with you in person if necessary.

You will find further information on our website: www.martor.co.uk



At a glance: the safety poster shows the most important functions and correct usage – perfect for your workplace.



Everything you want to know: dimensions, properties, special features and more about our cutting tools can be found in the technical data sheet



Still have questions? You can reach our service department on +44 1924 281333